

gutta®

Terrace roofs, carports and accessories



Made
in
Germany



gutta®

The perfect solutions for any requirement

Which terrace roofing kit is right for me?

You're looking for a first-class, aesthetic and sturdy terrace roof with countless different design options and a diverse range of accessories...

1

... then we recommend our

Premium Terrace Roof

Top pro quality for DIYers

Made
in
Germany

You're looking for a high-quality, chic and ready-made kit that can be securely set up by anyone within a short space of time...

2

... then we recommend our

Terrace Roof Pro

High quality and ingeniously simple setup

Made
in
Germany

You're looking for a tried and tested, ready-made kit that works well and comes at an affordable price...

3

... then we recommend our

Standard Terrace Roof

Solid entry-level quality at a low price



Product overview



Premium Terrace Roofs
Pages 4 - 13

- Cover selection Page 8
- Designs/measurements Page 10
- Installation/care tips Page 12



Premium Carports
Pages 14 - 17



Shading for Premium Terrace Roofs
Pages 18 - 23

- Rope tension awnings Page 18
- Under-roof awnings Page 20
- Over-roof awnings Page 22



Terrace Roof Pro
Page 24



Standard Terrace Roof
Page 26



Privacy screen and fence systems
Pages 28 - 29




System accessories
Page 30


LED lighting/snow remover



Assembly service
Page 31



Our current recommended retail price list can be found on our website at:
www.gutta.de/produktwelt/preislisten/



or in store

The pro roof for DIYers

The new favourite spot in the outdoor living room

Developed and built for special requirements. The Premium Terrace Roof and the Premium Carport offer top quality, durability and flexibility, in part thanks to the comprehensive system accessories.

For those who want more and know how to appreciate true made in Germany quality.

For those who want quality

There is a growing trend for individuality and high quality in designing and furnishing outdoor living areas. Indoors or outdoors, it makes no difference in today's quality requirements. The new Premium Terrace Roof fully meets this requirement, as you can turn any terrace into your new favourite outdoor spot with the solid new roof.

The new Premium Carport fulfils the same quality demands and is an ideal, weatherproof storage space for vehicles and more.

Delicate yet robust

The sturdy frame structure provides added benefits on both premium products with its optically delicate yet highly solid build. The support posts and feet can be individually adjusted. The roof pitch of the terrace roof can be adjusted just as flexibly from 5 to 20 degrees.

Profile slots enable the practical and simple use of a diverse range of system accessories.

Another premium feature includes powder-coated aluminium profiles guaranteeing corrosion resistance and a long-term appealing look either in anthracite with a finely structured surface or in white.

Maximum flexibility

The comprehensive range of system accessories turns the two new premium roofs into all-rounders for various requirements ranging from terraces, storage space, pergolas and patios.

Maximum flexibility is also guaranteed when it comes to roofing, as any conventional 16-millimetre twinwall sheets made of acrylic or polycarbonate with widths of 980 millimetres or 10-mm safety glass can be used.

Made for all types of weather

Wind and weather are no match for the premium products, as the material is UV and hail-resistant.

The structure can even withstand high snow loads, while the integrated gutter ensures quick water drainage with the flexible water drain.



Strong arguments for Gutta's premium models!



- ▶ Sturdy support, purlin and rafter structure



- ▶ Adjustable roof pitches of 5° to 20°



- ▶ Adjustable cross beam (purlin with post)



- ▶ Anthracite or white



- ▶ Various acrylic and PC twinwall sheets or glass options



- ▶ Profile slots for fillings



- ▶ Adjustable feet for height adjustment

Premium Terrace Roof

► Premium Terrace Roof anthracite with acrylic twinwall sheet heat plus



The right roof for any object!

The premium terrace roofs are available in roof depths of 3, 4 or 5 m, in widths of up to 10 m and in white or anthracite.

7 different 16-mm plastic twinwall sheets made of polycarbonate or acrylic are available as roofing.

There is also a roofing option with 10-mm safety glass (LSG) in roof depths of up to 4 m.

A wide range of matching accessories such as wind and privacy screen elements, LED lighting and shading are available as additions to our premium terrace roofs.



View video



Made
in
Germany



Premium Terrace Roof

► Premium Terrace Roof with acrylic twinwall sheets clear



- Premium quality made in Germany
- Sturdy aluminium frame structure
- Powder-coated aluminium profiles
- White (RAL 9016) or anthracite (RAL 7016 fine structure)
- Adjustable roof pitch between 5° and 20°
- Adjustable support posts and feet
- Many system accessories in the range
- Integrated gutter with flexible rain drainage
- Cover made of acrylic, polycarbonate or glass
- Very high snow loads of up to 150 kg/m²
- Custom dimensions and colours available
- Can also be used as a carport

15
JAHRE
GARANTIE

on aluminium structure

10
JAHRE
GARANTIE

on polycarbonate multi-wall panels

30
JAHRE
GARANTIE

on acrylic wall sheets

Details through the roof!

A choice of 8 different covers available.



Polycarbonate 16 mm clear



Polycarbonate 16 mm bronze



Polycarbonate 16 mm white opal



Polycarbonate 16 mm striped white

Various twinwall sheets with a thickness of 16 millimetres made of polycarbonate, acrylic or 10 mm safety glass are available as covers for our premium terrace roofs.

Twinwall sheets made of polycarbonate are all-rounders around the home and offer particularly high impact and hail resistance. Due to their low weight and high break resistance, the panels are very manageable and easy to process.

The acrylic twinwall sheets are the right choice wherever a brilliant, long-lasting look

is paramount. With their wide chambers and high light transmittance, acrylic panels are optically more similar to glass.

Glass panels made of laminated safety glass are the clearest and most elegant cover option. Due to their heavy weight and the risk of breakage during installation, we recommend that installation be carried out by a competent installation service.



Acrylic 16 mm clear



Acrylic 16 mm bronze



Acrylic 16 mm heat plus
reduces heating by up to 75%



Safety glass 10 mm clear (LSG)



Premium Terrace Roof

► Premium terrace roof anthracite with safety glass LSG)



In many standard dimensions or made to measure!

The premium terrace roofs are available in the following 21 fixed measurements in roof depths of 3, 4 or 5 m and widths of up to 10 m.

Designs/ standard measurements

Models with a roof depth of 3 m (3060 mm)

Roof widths in mm	3094	4102	5100	6110	7120	8125	9135	10140
Fields (panels)	3	4	5	6	7	8	9	10
Posts	2	2	3	3	3	3	4	4

Models with a roof depth of 4 m (4060 mm)

Roof widths in mm	4102	5100	6110	7120	8125	9135	10140
Fields (panels)	4	5	6	7	8	9	10
Posts	2	3	3	3	3	4	4


Models with a roof depth of 5 m (5060 mm)

Roof widths in mm	5100	6110	7120	8125	9135	10140
Fields (panels)	5	6	7	8	9	10
Posts	3	3	3	3	4	4

Colours structure	anthracite (RAL 7016 fine structure) or white (RAL 9016)
Covers	Polycarbonate twinwall sheets 16 mm, clear, bronze, white opal or white striped Acrylic twinwall sheets 16 mm clear, bronze, heat plus (cooling) Safety glass LSG 10 mm clear (up to roof depth of 4 m)

Part numbers 4295003 to 4295799

If none of these measurements or colours go with your property then we can adapt our terrace roofs precisely to your circumstances, giving you the perfect solution for your requirements.



Premium Terrace Roof

► Premium Terrace Roof anthracite with polycarbonate twinwall sheets clear



Requirements | Assembly Instructions | Care Information

- ▶ Observe local building regulations and snow load zones in your region.
- ▶ The Premium Terrace Roof must be assembled on even, solid ground (suitable foundation).
- ▶ At least 2 people are required to assemble the Premium Terrace Roof.
- ▶ Before assembly, sort the parts and check the quantities using the list of contents. Follow the instructions and installation steps in the enclosed assembly instructions.
- ▶ The multi-wall panels must not be walked on without cross laid running boards (over at least 2 rafters).
- ▶ Point loads must be avoided at all costs.
- ▶ Regularly remove snow from the roof.
- ▶ We recommend installing a snow guard on the roof of the house above the terrace roof.
- ▶ Clean the panels with lots of water and a mild detergent, do not use abrasives, acetone or solvents!
- ▶ Defective or bent posts or supports must be replaced immediately.
- ▶ Keep the gutter free of leaves, dirt and snow.
- ▶ Each Premium Terrace Roof contains a rainwater pipe which can be attached to the left or right on the support post.
- ▶ The minimum roof pitch is 5°, the maximum roof pitch is 20°. The wall connection profile must be installed at a height of at least 240 cm at terrace roof depths of 3 m and 4 m and 2.45 m at a 5 m terrace roof depth (measured at the upper edge of the profile). The maximum fastening height is 300 cm at a 3 m roof depth, 340 cm at 4 m and 3.75 m at 5 m.
- ▶ The cross beam with both support posts can be moved by a maximum of 60 cm towards the house wall, resulting in a higher roof pitch.
Distance to house wall at 3 m roof depth: 2.30 to 2.90 m
Distance to house wall at 4 m roof depth: 3.30 to 3.90 m
Distance to house wall at 5 m roof depth: 4.30 to 4.90 m
- ▶ The detailed warranty terms as well as the conditions and limitations of the warranty can be found at www.gutta.com. The warranty terms can be sent in written form by request.
- ▶ We recommend that glass covers be installed by a competent installation service!

Subject to colour and size deviations etc. within the usual tolerances. Our recommendations do not exempt the user from the obligation to check the product on their own responsibility. In case of doubt, please consult a specialist. Subject to technical changes.

Just 3 to 4 hours* for a finished outdoor living area

Extremely easy to install thanks to pre-assembled and pre-drilled components



1

Mount wall connection

- ▶ Profile is pre-drilled
- ▶ Storage profiles for rafters are pre-assembled



2

Connect frame (post/purlin)

- ▶ Purlin is pre-drilled
- ▶ Screw joint directly in the post



3

Insert rafter

- ▶ Rafters are pre-drilled
- ▶ Mounting profiles are pre-assembled
- ▶ Adjustable roof pitch

* Assembly time for 4 x 3 m size with plastic roofing

Premium Terrace Roof

- ▶ Premium Terrace Roof anthracite with polycarbonate twinwall sheets white opal



4

Attach gutter

- ▶ Gutter is pre-drilled
- ▶ Threaded bolts are pre-assembled



5

Lay panels

- ▶ Sealing lips are already retracted
- ▶ Align panels
- ▶ Screw in covers



6

Screw in adjustable feet

- ▶ Height adjustable
- ▶ Adjustable feet are pre-assembled
- ▶ Anchor panels are pre-drilled

For the highest demands

Quality through the roof with Gutta's Premium Carport

Carports are exposed to wind and weather 365 days a year. As such, they must be able to withstand various loads and be UV-resistant, long-lasting, and corrosion-free – all while remaining aesthetically pleasing. If you have high standards for design and quality, Gutta's Premium Carport is the right choice for you. In addition to a high-quality made in Germany design, the system also offers great versatility and flexibility thanks to a comprehensive range of system accessories.

► Premium Carport white with acrylic twinwall sheet bronze



► Premium Carport anthracite with polycarbonate twinwall sheets clear
Side and rear walls WPC dark grey with clear PC panels

Premium Carport

▶ Premium Carport anthracite with polycarbonate twinwall sheets clear



- ▶ Premium quality made in Germany
- ▶ Sturdy aluminium frame structure
- ▶ Powder-coated aluminium profiles
- ▶ White (RAL 9016) or anthracite (RAL 7016 fine structure)
- ▶ Roof pitch adjustable between 5° to 20°
- ▶ Adjustable support posts and feet
- ▶ Optional rear wall and/or side wall
- ▶ Integrated gutter with flexible water drain
- ▶ Acrylic or polycarbonate cover
- ▶ UV and hail resistant
- ▶ Very high snow loads of up to 100 kg/m²

15
JAHRE
GARANTIE

on aluminium structure

10
JAHRE
GARANTIE

on polycarbonate multi-wall panels

30
JAHRE
GARANTIE

on acrylic wall sheets

Available in many different designs!

Designs / standard measurements

Premium Carport

Dimensions (WxD)	3094 x 5620 mm
Clearance height front:	2300 mm
Clearance width	2934 mm
Fields (panels)	3
Posts	4
Covers	Polycarbonate twinwall sheets 16 mm, clear, bronze, white opal or white striped Acrylic twinwall sheets 16 mm, clear, heat plus (cooling) Safety glass LSG 10 mm clear (up to 4 m roof depth)

Carport side wall

Dimensions (LxH)	5820* x 1860 mm, 3 parts
Fillings	WPC boards dark grey WPC boards dark grey / PC panels clear


Carport rear wall

Dimensions (LxH)	3800 x 1860 mm, 2 parts
Fillings	WPC boards dark grey WPC boards dark grey / PC panels clear

Colours structure anthracite (RAL 7016 fine structure) or white (RAL 9016)
Custom colours by request

Part numbers 4296203 to 4297419

* Delivery dimensions. WPC boards must be shortened to the desired end length.



► Premium Carport white
with acrylic twinwall sheets clear

Premium Carport



Structure & cover



Anthracite



White



Polycarbonate clear



Polycarbonate bronze



Polycarbonate white opal




Polycarbonate striped white



Acrylic clear



Acrylic bronze



Acrylic heat plus

A custom-fit classic for your terrace

Our rope tensioning awning – for every occasion

A true classic, tried and tested, made to measure and always a good solution. Our rope tensioning awning is a classic option for anyone who values perfect shading with an appealing price-performance ratio!

The rope tensioning awning does it all. Adjust each individual sail panel according to the current sun position to tailor the shade. The high-quality acrylic fabric design offers a high-grade and durable shading solution.

Light and UV-resistant, crease-proof and machine washable. The stainless steel components provide added durability.

With a five-year guarantee, you're on the safe side with this source of shade. Four appealing colours are guaranteed to make the rope tensioning awning an elegant feature of your home!

The following fabrics are available



Orange striped/ golden crops / fabric 667140



Grey striped/ Ladakh / fabric 65514



Dark grey/ graphite / fabric 638140



Beige / sandstone / fabric 814140



Designs / measurements for the Premium Terrace Roofs

for 3 m roof depth 945 x 2900 mm one channel each with fastening set

for 4 m roof depth 945 x 3900 mm one channel each with fastening set

for 5 m roof depth 945 x 4900 mm one channel each with fastening set

Colours
 Orange striped / golden crops / fabric 667140
 Grey striped / Ladakh / fabric 655140
 Dark grey / graphite / fabric 638140
 Beige / sandstone / fabric 814140

Part numbers 4297603 to 4297652



▶ Orange striped/ golden crops fabric



▶ Grey striped/ Ladakh fabric



▶ Dark grey/ graphite fabric

Shading



- ▶ Premium quality made in Germany
- ▶ Goes with premium terrace roofs
- ▶ Top price-performance ratio
- ▶ Variable and highly effective shading
- ▶ High-quality, washable and crease-proof acrylic fabric
- ▶ Durable stainless steel components
- ▶ 5-year warranty on acrylic fabric
- ▶ Choice of 4 appealing fabrics



▶ Beige / sandstone fabric

View video



Made
in
Germany



Savoir-vivre in your garden

Under-roof awning St. Tropez. Très chic and highly functional

A touch of the Cote d'Azur for your garden with our under-roof awning St. Tropez, the elegant, versatile and highly functional shade for your garden. Weather-proof, robust and perfectly suited for indoor shading on terrace roofs!


Thanks to its special structure, the high-quality fabric of this under-roof awning is permanently protected against dirt. The fabric is simply installed below the roof structure. Dampness, wind loads etc. are no match for the elegant source of shade, guaranteeing years of enjoyment with this awning. Another benefit is that you can easily extend the awning even if nobody is home.

The level of sophistication is for you to decide: Easily operate the under-roof awning with a hand crank or, even simpler, with an electric motor.


The shading is also modern and elegant in its colours. The white or anthracite frame colours perfectly complement the premium terrace roof.

The high-quality and low-maintenance acrylic fabric is available in graphite or light grey, providing optimum protection against UV radiation and heat!

The following fabrics are available




Light grey / fabric 314028



Graphite / fabric 314638

Designs / measurements for the Premium Terrace Roofs

with motor drive for terrace roof 3 x 3 m	3 m width 2.5 m projection
with motor drive for terrace roof 4 x 3 m	4 m width 2.5 m projection
with motor drive for terrace roof 4 x 4 m	4 m width 3.5 m projection
with manual drive for terrace roof 3 x 3 m	3 m width 2.5 m projection
with manual drive for terrace roof 4 x 3 m	4 m width 2.5 m projection
with manual drive for terrace roof 4 x 4 m	4 m width 3.5 m projection
Frame colour	white (RAL 9016) or anthracite (RAL 7016)
Fabric colour	light grey/314028 or graphite /314638
Part numbers	4297860 to 4297906



▶ Rear cassette with powerful torsion springs



▶ Sturdy guide rail with pulley



▶ Front cassette with flush finish

Shading



- ▶ Premium quality made in Germany
- ▶ Designed to go perfectly with the Premium Terrace Roof
- ▶ Awning protected against wind and weather
- ▶ Highly sturdy, powder-coated aluminium structure
- ▶ With electric motor or manual drive
- ▶ High-quality, permanently taut acrylic fabric
- ▶ Choice of 2 appealing fabrics



▶ Infinitely variable partial shading

View video



Made
in
Germany



La dolce vita on your terrace

Over-roof awning San Remo in a perfect premium design

The shading solution for the highest demands: Our San Remo over-roof awning does it all. A robust design and weatherproof premium quality on top of effective sun and glare protection. Enjoy the summer on your terrace or in your conservatory to the fullest with San Remo!


Sun protection doesn't get any more effective than this over-roof awning. Because the sun beams are reflected before they reach the roof, you can spend your days carefree and shaded in your garden on even the hottest of summer days. The solid structure guarantees the highest level of quality, solidity and durability. The fabric can also easily be cleaned, if required.

San Remo or San Remo light - both versions are sure to please with optimum protection against the sun. Their simplicity starts with their operation, as this over-roof awning features an electric motor as its standard equipment for maximum comfort.


San Remo adds visual appeal to any terrace and its frame colours in white or anthracite go perfectly with our Premium Terrace Roof.

The high-quality acrylic fabric is available in anthracite or light grey, providing optimum protection against UV radiation and heat at all times!

The following fabrics are available



Light grey / fabric 314028



Graphite / fabric 314638



Designs / measurements for the Premium Terrace Roofs

San Remo with motor drive 3 x 3 m	for Premium Terrace Roof 3 x 3 m
San Remo with motor drive 4 x 3 m	for Premium Terrace Roof 4 x 3 m
San Remo with motor drive 4 x 4 m	for Premium Terrace Roof 4 x 4 m
San Remo light with motor drive 3 x 3 m	for Premium Terrace Roof 3 x 3 m
San Remo light with motor drive 4 x 3 m	for Premium Terrace Roof 4 x 3 m
San Remo light with motor drive 4 x 4 m	for Premium Terrace Roof 4 x 4 m
Frame colour	white (RAL 9016) or anthracite (RAL 7016)
Fabric colour	light grey /314028 or graphite/314638
Part numbers	4297812 to 4297858



Fig.: San Remo

► Stylish and sturdy rear awning cassette



Fig.: San Remo

► Side guide rail with concealed pulley



► Front cassette with guide

Shading



- ▶ Premium quality made in Germany
- ▶ Designed to go perfectly with the Premium Terrace Roof
- ▶ Most effective shading through above-roof installation
- ▶ Highly sturdy, powder-coated aluminium structure
- ▶ Powerful electric motor drive
- ▶ High-quality, permanently taut acrylic fabric
- ▶ Choice of 2 appealing fabrics

Fig.: San Remo light



- ▶ Excellent awning tension and air circulation



Quick, safe, sturdy. For a professional look assembled in record time
The easy-to-build terrace roof with a new plug-in system development

A solid terrace roof protects you and your family against adverse weather and elevates your garden into an area of wellbeing.

Assembling your terrace roof is more relaxed and easy than ever before. The Terrace Roof Pro with its ingenious and innovative plug-in system makes it possible!

This allows a solid and durable system to be set up in no time. Simply hook the roof rafters into the pre-milled windows at the front and rear, and done!

One person can carry out the installation alone; depending on the size of the roof the job is done in one to two hours once the wall connection has been assembled. All the more time to enjoy yourself in the garden with your family!

The highly sturdy aluminium structure in anthracite or white provides stability and durability. The polycarbonate twinwall sheets with a thickness of 16 mm give you the choice of a clear or white striped version. The roof can withstand all types of weather, including high snow loads, and also looks good as a carport.

The Terrace Roof Pro offers quality you can rely on: with TÜV-certified, made in Germany production, a 15-year warranty on the metal structure and a 10-year warranty on the twinwall sheets – the benefits speak for themselves! A chic look can be that simple, and anyone can be a professional installer with the Terrace Roof Pro!



Polycarbonate clear




Polycarbonate striped white (zebra panel)

Two high-quality covers available:

Designs / measurements

Terrace Roof Pro

Sizes 3 m roof depth	3094 x 3060 mm (WxD) 2 posts, 3 roof panels
	4102 x 3060 mm (WxD) 2 posts, 4 roof panels
	5102 x 3060 mm (WxD) 3 posts, 5 roof panels
Sizes 3 m roof depth	3094 x 4060 mm (WxD) 2 posts, 3 roof panels
	4102 x 4060 mm (WxD) 2 posts, 4 roof panels
	5102 x 4060 mm (WxD) 3 posts, 5 roof panels
Frame	Aluminium powder-coated anthracite or white
Cover	PC twinwall sheets 16 mm clear or white striped (zebra panel)
Part numbers	4299003 to 4299076



Example figure 4102 x 3060 mm



NEW!

Terrace Roof Pro




Set up in just 1 - 2 hours!*

NEW!

Rafters are hooked and secured into pre-milled windows at the rear and front. Quick, safe and precise!

DBGM
protected



* after installing the wall connection

- ▶ Assembled in no time through new assembly system development
- ▶ Registered utility model
- ▶ Highly sturdy aluminium structure
- ▶ 11 x 11 cm posts
- ▶ Adjustable roof pitch of 5° to 15°
- ▶ Anthracite or white
- ▶ Clear or striped 16 mm PC twinwall sheets
- ▶ Integrated gutter with drain in posts
- ▶ High snow load of 100 kg/m²

Made
in
Germany



on the aluminium structure



on the polycarbonate panels

Solid quality at an affordable price

The tried and tested terrace roofing kit with multiple options

Covering a terrace, building a carport or covering pergolas and courtyards: All of this is easy to achieve with the practical Gutta kits.

The metal frame structure with a transparent roof made of polycarbonate twinwall sheets can withstand it all, including wind and weather. The roofs are particularly delicate and lean thanks to the narrow profile cross-sections. Choose between roof depths of 3 or 4 metres according to your plans.

You can adapt the assembly according to your requirements, with cross beams and posts that can be adjusted by up to 60 cm. The variable ridge height and adjustable support posts provide even more flexibility.

The posts, supports and rafters are made of durable aluminium. Any visible metal profiles are finished with a powder coating in either white or anthracite, keeping your roof in top shape for many years. An integrated gutter is also included. With its high stability, the terrace roof can even withstand a snow load of up to 150 kg/m². The roof made of 10 mm thick multi-wall panels retains its brilliant appearance for many years.

Expand as you like with expansion modules

The modules with a width of 1200 mm consisting of a front support (purlin), gutter, wall bracket, two rafters, two panels and a post can be built into the middle of all models with a width of 4.26 m or 5.46 m. This allows the roofs to be individually extended in width.

Designs / measurements

Standard terrace roofing kit

Models 3 m roof depth	3060 x 3060 mm (WxD) 2 posts, 5 roof panels PW 2900 mm*
	4260 x 3060 mm (WxD) 3 posts, 7 roof panels PW 2 x 2010 mm*
	5460 x 3060 mm (WxD) 3 posts, 9 roof panels PW 2 x 2610 mm*
Models 4 m roof depth	3060 x 4060 mm (WxD) 2 posts, 5 roof panels PW 2900 mm*
	4260 x 4060 mm (WxD) 3 posts, 7 roof panels PW 2 x 2010 mm*
	5460 x 4060 mm (WxD) 3 posts, 9 roof panels PW 2 x 2610 mm*

Frame	Aluminium powder-coated anthracite or white
Cover	PC twinwall sheets 10 mm crinkled with click system



Part numbers 4293103 to 4293168

Expansion module

for 3 m roof depth	1200 x 3060 mm white or anthracite
for 4 m roof depth	1200 x 4060 mm white or anthracite
each consisting of	1 purlin, 1 gutter, 1 wall bracket, 2 rafters, 2 panels, 1 post

Part numbers 4293703 to 4293716

*With flush finish of outer support posts. The distance decreases accordingly in case of displacement.



Standard Terrace Roof



- ▶ Affordable, ready-made kit
- ▶ Quick and variable assembly
- ▶ Filigree aluminium structure
- ▶ White or anthracite coating
- ▶ 10 mm polycarbonate twinwall sheets
- ▶ Complete kit with assembly material
- ▶ High snow loads:
Models with 3 m roof depth 150 kg/m²
Models with 4 m roof depth 100 kg/m²



Cross beam ① and post ② adjustable up to 60 cm



Privacy is a must-have

Premium privacy screen and fence elements in many appealing designs

Want protection against curious looks in addition to a Premium Terrace Roof or Carport by Gutta? Or need protection against sideways rain or strong wind? Then the privacy and wind protection elements are the perfect addition.

The chic and durable WPC* or laminated panel fillings are quickly and easily inserted via the existing slots in the sturdy aluminium support posts.

The lateral protection can be visually adapted to its surroundings with appealing post and filling colours.

Utmost flexibility is provided by the element sizes with a maximum of 2020 x 1860 millimetres (WxH) that can be changed by amending the width and height of the fillings.

Additional use as independent fencing system

In addition to their use in combination with our Premium Terrace Roofs or Carports, the elements can also be used as an entirely independent fencing system.

* WPC = wood-plastic composite (50% wood, 35% HDPE, 10% pigment, 5% additives)

Designs / measurements

Privacy screen base element	2020 x 1860 mm	2 posts und filling
Privacy screen expansion	1940 x 1860 mm	1 post and filling
Post colours	white (RAL 9016) or anthracite (RAL 7016)	
Fillings	WPC boards grey WPC boards grey / PC multi-wall panels Laminated panels concrete finish anthracite Laminated panels rust finish Laminated panels concrete finish grey Laminated panels wood finish	
Part numbers	4297003 to 4297123	



▶ WPC boards grey



▶ WPC boards grey/ PC multi-wall panels



▶ Laminated panels concrete finish anthracite




▶ Laminated panels rust finish



▶ Laminated panels concrete finish grey

Privacy screen and fence elements



▶ Laminated panels wood finish

- ▶ Premium quality made in Germany
- ▶ Modular system with various materials
- ▶ Robust, weatherproof and durable design
- ▶ Resilient up to wind load zone 5
- ▶ Many modern designs and colours
- ▶ Custom solutions for privacy screens and property boundaries around the home

Made
in
Germany



System accessories



LED lighting – a bright idea

Elegant and practical, LED strips provide lighting as needed, allowing you to enjoy your garden late into the night. The light strips are simply retracted into the rafters as an option for the integrated illumination in the Premium Terrace Roof or Carport.

A particularly practical feature is the slot which is already contained in the rafter, meaning the LED elements sit flush against the bottom and don't protrude.

Designs / measurements

LED Set 5 m, strip and drivers

Part number 9210236

For gentle clearing

Snow remover with soft edge

The snow remover allows you to easily remove snow from various roofs and areas that are difficult to access without having to climb onto the roof or up a ladder.

The snow removers consist of a telescopic aluminium pipe and a plastic pusher with aluminium bars.

To gently clear terrace roofs, conservatories, canopies, solar panels and more the snow removers have a soft yellow edge at the front.

The snow removers have a lightweight structure, a handy size and can be extended from 1.9 to 6.4 m in length.


Designs / measurements

Snow remover with soft edge

Style Anodised aluminium **Length** 1.93 to 6.4 m

Pusher PC with TPE sealing lip **Dimensions** 39 x 15 cm

Part number 4297803



Measuring and assembly service



Your new Gutta roofing - fully assembled!

Gutta's measuring and assembly service

We offer a professional, reliable and affordable assembly service for our Gutta construction elements across Germany!

Find the right solution and have everything delivered and assembled at your door. Our service offers these tangible advantages while saving time, ensuring all work is carried out professionally in addition to providing comfort and safety.

Assembly is offered as a separate service. The contractual partner of the end customer is the self-employed assembler carrying out any work. The companies are specially selected and the assemblers are specially trained with our products.

The installation company also takes care of crucial on-site consultation and measurements.

Assembly will take place on the agreed date with subsequent sign-off by the end customer.

The installer charges for the order directly and assumes the warranty for its execution.

The end customer must prepare the foundation (frost-proof foundations) before assembly.

The manufacturer's product warranty shall remain unaffected.

Further detailed information on the process can be found in our assembly service brochure or online at www.gutta.de/services/projekte/montageservice



- ▶ **Professional on-site consultation & measuring service**
- ▶ **Detailed fixed price quote**
- ▶ **Professional assembly by specially trained local installation service**
- ▶ **Fastening materials for all types of walls approved by construction authorities**
- ▶ **Handover with acceptance protocol**
- ▶ **Work covered by warranty**
- ▶ **For all terrace roofs, carports, canopies and greenhouses by Gutta**



Models, motives and accessories are subject to change. The accessories shown are not included in the scope of delivery.
All values and measurements are approximate.
Colours shown may differ from the original colours due to printing. Subject to technical changes.

Visit us on
social media:

gutta[®]

Gutta Werke GmbH | Bahnhofstraße 51-57 | D-77746 Schutterwald | www.gutta.com